



(VETERINARY)

GENERAL IMPLANTS

(2014-15)



GREENS SURGICALS (P) LTD

Plot No. 508-512, G.I.D.C. Savli Industrial Estate, Manjusar, Vadodara - 391775, (Gujarat), INDIA


TEL : +91-2667 - 264888 & +91-265-2783892

EMAIL: info@greensurgicals.com


WEB : www.greensurgicals.com

1 WASHERS AND NUTS


Washers

Part #	Type	Washer
500.001	4.5mm for 1.5mm & 2.0mm Cortex Screws	
500.002	6.5mm for 3.0mm Cannulated Screws	
500.003	7.0mm for 3.5mm Cortex & 4.0mm Cancellous Bone Screws	
500.004	10.0mm for 4.5mm Cannulated Screws	
500.005	13.0mm for 4.5mm Cortex & 6.5mm Cancellous Bone Screws	

Spiked Washers


Part #	Type	Washer
500.015	8.0/3.2mm for 2.7mm Cortex Screws	
500.016	13.5/4.0mm for 3.5mm and 4.0mm screws	
500.017	13.5/6.5mm for 4.5mm screws & 6.5mm Cancellous bone screws (by threading)	

Nuts


Part #	Type	Nuts
500.021	Nut for 4.5mm Cortex Screws	

2 WIRES AND CABLES


K-Wires, Trocar Point at one end (10/pkg)

Part #	Length mm	Trocar Point	Kirschner Wire
500.025	0.6	70mm	
500.026	0.8	70mm	
500.027	1.0	150mm	
500.028	1.25	150mm	
500.029	1.6	150mm	
500.030	2.0	150mm	
500.031	2.5	150mm	
500.032	3.0	150mm	
500.033	0.8	150mm	
500.034	1.0	280mm	
500.035	1.25	280mm	
500.036	1.4	150mm	
500.037	1.4	280mm	
500.038	1.8	150mm	
500.039	1.6	280mm	
500.040	1.8	280mm	
500.041	2.0	280mm	
500.042	2.5	280mm	
500.043	3.0	280mm	


K-Wires, Trocar Point on both ends (10/pkg)

Part #	Length mm	Trocar Point	Kirschner Wire
500.051	0.6	70mm	
500.052	0.8	70mm	
500.053	1.0	150mm	
500.054	1.25	150mm	
500.055	1.6	150mm	
500.056	2.0	150mm	
500.057	1.4	150mm	
500.058	1.8	150mm	
500.059	2.5	150mm	
500.060	3.0	150mm	


K-Wires, Threaded Trocar (Treaded guide wire) (10/pkg)

Part #	Length mm	Trocar Point	15mm threaded trocar point
500.071	1.0 (5mm thread)	150mm	
500.072	1.2 (5mm thread)	150mm	
500.073	1.6	150mm	
500.074	1.8	150mm	
500.075	2.0	150mm	
500.076	2.5	150mm	
500.077	3.0	150mm	

Cerclage Wire Coils

Part #	Thickness mm	Length (meters)	
500.081	0.4	8	
500.082	0.6	8	
500.083	0.8	10	
500.084	1.0	10	
500.085	1.25	10	
500.086	1.5	10	


Cerclage Wire, with eye (10/pkg)

Part #	Thickness mm	Length mm	
500.091	0.8	280	
500.092	1.0	280	
500.093	1.25	280	
500.094	1.5	280	


Precut Cerclage Wire, Soft(10/pkg)

Part #	Thickness mm	Length mm	
500.101	0.4	150	<p style="text-align: center;">Picture coming soon</p>
500.102	0.6	175	
500.103	0.8	200	
500.104	1.0	250	
500.105	1.25	300	

Cables

Part #	Thickness mm	Length mm	Sterile
500.109	1.7	750	
500.110	1.0	750	

Guide Wires

Part #	Description	Thickness 2.0mm
500.111	Non-Colored, Threaded Guide Wire 230mm, Spade point for use with 7.0mm Cannulated Screw System	
500.112	Non-Threaded Guide Wire 230mm, Spade point for use with 7.0mm Cannulated Screw System, Blue	


Steinmann Pin

Part #	Thickness mm	Length mm	
500.116	3.5	150	Picture coming soon
500.117	4.0	200	
500.118	4.5	250	
500.119	5.0	250	

3 BUTTONS


Part #	Type	Description	Sterile
500.126	T15/2.5 mm Hex Cerclage Button	For use with 3.5mm screw heads	
500.127	T25/3.5 mm Hex Cerclage Button	For use with 4.5mm screw heads	

4 WIRE MOUNTS


Part #	Description	Sterile
500.129	Wire mount for 4.5mm DCP and LC-DCP holes (Sterile)	

5 CRIF


2.0mm Rod

Part #	Thickness mm	Length mm	
500.131	2.0	30	
500.132	2.0	45	
500.133	2.0	90	

3.0mm Rod

Part #	Thickness mm	Length mm	
500.136	3.0	45	
500.137	3.0	90	
500.138	3.0	120	

5.0mm Rod

Part #	Thickness mm	Length mm	
500.145	5.0	60	
500.146	5.0	75	
500.147	5.0	90	
500.148	5.0	105	
500.149	5.0	120	
500.150	5.0	150	
500.151	5.0	180	
500.152	5.0	210	
500.153	5.0	240	

Clamps

Part #	Type	For use with	
500.161	Mini Clamp	2.0mm screws, 2.0mm rods	
500.162	Mini End Clamp	2.0mm screws, 2.0mm rods	
500.163	Small Clamp	2.7mm screws, 3.0mm rods	
500.164	Small End Clamp	2.7mm screws, 3.0mm rods	
500.165	Medium Clamp	3.5mm screws, 5.0mm rods	
500.166	Medium End Clamp	3.5mm screws, 5.0mm rods	